

REMARKS

Summary of the Invention

Field of invention

The subject matter of this invention is directed to that field which has become known as "laser capture microdissection." In its original format, laser capture microdissection is described in Liotta et al. United States Patent 5,843,657, et al. issued December 1, 1998. In that disclosure, a process of microdissection is disclosed. A sample having a portion for microdissection is contacted with a selectively activatable transfer surface. In its original state, the transfer surface is not adhesive to the sample. The sample is visualized for the portion of the sample it is desired to microdissect, this visualization typically being through the transfer surface (which preferably is transparent). Thereafter, the transfer surface is activated only at the portion of the transfer surface overlying the portion of the sample for microdissection. The activated portion of the transfer surface adheres to the sample portion. The non activated portion of the transfer surface does not adhere to the sample. When the transfer surface is removed, the sample portion adheres to the transfer surface portion and is removed. The microdissection occurs.

Main claim at issue

Understanding that this is the field in which this disclosure resides, the claimed elements of claim 35 can be summarized.

First, and as set forth in the preamble to claim 35, the disclosed apparatus is limited to laser capture microdissection.

Second, what we deal with here is a convex surface for placement to a sample. (Please note that the surface is not concave.)

Third, the convex surface is mounted to an extremity of the rod.

Forth, a selectively activated coating is placed over the convex surface. Like the transfer surface of Liotta et al.' 657, the selectively activated coating has non adhesive properties. When activated this coating provides selected regions thereof with

adhesive properties when placed to a sample. Non activated regions thereof remain with their non adhesive properties. Using such a coating on a convex surface, laser capture microdissection can occur.

Claim 41 only adds the extraction of the dissected sample in a vial from the end of the probe.

**Liotta et al. U.S. Patent 5,843,657 Disclosure Analyzed**

This disclosure is directed to the process and apparatus for dissecting diseased tissue (usually cancer) in extraordinarily small samples down to and approaching the cellular level. In this disclosure, three discrete techniques of molecular dissection are discussed.

**First Liotta et al. Embodiment**

First, and referring to Fig. 3, conventional dissection of a sample (1) utilizing a cutting blade (10) and grasping arm (11) is disclosed.

This part of Liotta et al. ' 657 is not relevant to the rejection.

**Second Liotta et al. Embodiment**

Second, and referring to Figs. 2a to 2c, the use of a "sticky contact probe" is set forth for dissection of a sample (1) at a target sample zone B. In short, a contact probe (5) is provided. The end of the contact probe is provided with adhesive/extraction reagent (6). The contact probe (5) at the adhesive/extraction reagent (6) is contacted to the target sample zone B, the sample zone B adheres to the reagent (6) and is dissected and removed with the probe as the probe is removed.

There is an important limitation on the use of the "sticky contact probe." This limitation is provided at column 4, lines 35 through 41 of the Liotta et al. specification as follows:

... As can be readily understood from Fig. 2a, the surface area of the contact probe tip (and the adhesive-extraction reagent) needs to be about equal to, and no greater than, the surface area of the zone to be extracted. Otherwise, excessive removal of adjacent tissue zones will occur.

This part of Liotta et al. ' 657 is relevant for the use of the probe. Since the probe does not have a "selectively activatable surface" it is sticky all of the time. When it contacts portions of the specimen it adheres.

The probe is flat at its end; it cannot be said to have a "convex" surface. Further, the size of the end of the probe is restricted as it is always sticky; it has to be less than "the surface area of the zone to be extracted." In other words, when the probe from this embodiment of Liotta et al. ' 657 is used as a reference, the limitation of the probe's use must follow. Finally, adhesive/extraction reagent is only placed at the flat end of the probe. It is not disclosed as being at any other part of the probe.

#### **Third Liotta et al. Embodiment**

Third, and referring to Figs. 8a to 8d, the first disclosure of laser capture microdissection is set forth. A transfer surface (30) is utilized to extract targeted cellular material from cellular material (33) residing on support member (34). Initially in Fig 8a, transfer surface 30 having upper backing layer 31 and a lower activatable adhesive layer 32 overlies cellular material 33 residing on support member 34. Secondly in Fig 8b, contact occurs between the transfer surface 30 and the sample 33. Thirdly in Fig 8c, the transfer surface 30 is irradiated with a laser beam 36 overlying that part of the sample 33 where extraction is desired. Unlike the second Liotta embodiment where the probe is always sticky, this portion of the transfer surface (which is not a probe), only becomes sticky on "activation." Fourthly in Fig 8d, transfer layer 30 is lifted; an adhered portion of the sample 33 is dissected.

This part of Liotta et al. ' 657 is relevant for the use of the transfer surface. It has nothing to do with the use of a probe.

Seth R. Goldstein  
Application No.: 09/387,810  
Page 5

**35 USC 102(e) Rejection**

For a rejection under 35 USC 102(e) to occur, the reference must show either an identical disclosure or that the combination is obvious. This is not the case when Liotta '657 is cited. The probe comes from the second Liotta embodiment above. The transfer surface comes from the third Liotta embodiment. Further, while importing the "elements" of the invention, the rejection does not support the actual use of the combination as used here. For example as taken from the second Liotta embodiment, the probe is used only at its end, which end is flat. There is no suggestion the probe be rounded or provided with the convex surface. For further example as taken from the third Liotta embodiment, the transfer surface 30 is not shown attached anything, certainly not a probe. This layer consists of a packing layer 31 and an activatable adhesive layer 32. There simply is no suggestion of combining the probe of the second Liotta embodiment with the transfer surface 30 of the third Liotta embodiment.

**35 USC 103 Rejection**

Second, the rejection has cited Adams et al. (U.S. Patent 6,060,288). The rejection calls to applicant's attention cols. 16 lines 1 to 40 of Adams et al.' 288, portions of which are quoted here for convenience:

... Thus, the use of an optical fiber performs a three-fold function as the support for the amplification reaction, as a transmission means for the resultant signal and as a component of the detection system by transmitting this signal to the detector. [16: 7 to 12]

It can be seen from the above that dissection, let alone microdissection, is not a purpose of this disclosure. No mention of dissection is made.

But the disclosure continues further:

One end of the optical fiber (referred to hereinafter as the distal end) is cleaved, polished, and then chemically modified to provide a surface having attachments sites for nucleic acid primers. A number of surface modification methods suitable for this purpose are known to those of skill in the art. For example, organosilane coating of glass and silica surfaces, ground polymerization on polymer surfaces, and/or high-voltage gas-plasmas discharges may be used to affect modification of glass, silica or polymer surfaces. The surface of the fiber may also be modified to have a convex or concave curvature to facilitate optical focusing. Following modification, oligonucleotides are then attached to the surface of the distal end of the fiber. This process usually involves several steps, which may include one or more of the following:

- a) Chemical treatment of the fiber surface to activated attachments sites for primer binding;
- b) Chemical treatment of the oligonucleotides to activate the groups which will interact with the fiber surface sites;
- c) Placing the modified fibers in contact with the oligonucleotides to allow immobilization reactions to occur; and,
- d) Treatment and washing of the fiber surfaces to remove non-immobilized oligonucleotides, as well as any activation reagents or blocking groups that may interfere with the amplification reaction. (Emphasis added)

Reviewing the above quotation, the first thing to note is that the fiber and its distal end is "cleaved." "Cleave" is defined as:

cleave 1 [kleev ] (past cleaved, cleft [kleft ], clove [kl v ], past participle cleaved, cleft, clo•ven, present participle cleav•ing, 3rd person present singular cleaves) transitive and intransitive verb

1. split: to split, or make something split, especially along a plane of natural weakness
2. cut a path through: to make a way through something (literary) " We watched the bows of the tall ships cleave through the waves."
3. penetrate: to penetrate or pierce something deep or dense such as water or heavy undergrowth

[Old English cl ofan . Ultimately from an Indo-European word that is also the ancestor of Greek gluphein "to carve" (source of English hieroglyphics).] (Microsoft Encarta Dictionary; Copyright 2002)

Applying this definition, the (distal) end of the optical fiber would look much like a cleaved branch having discrete separated "cleaved" portions splayed upwardly from the end of the optical fiber. This would give the appearance of a "broom", not of a rounded probe having a convex surface.

Second, chemical modification is undertaken. There is no indication that one portion of the distal fiber end is chemically treated while other portions of the distal fiber end are not chemically treated.

Then a statement is made about "the surface" of the fiber being given either concave or convex "to facilitate optical focusing." Insofar as this relates to the "cleaved distal end," it is not understood. How a cleaved end of the fiber can at the same time be provided with either a concave or a convex surface is not known. The only intelligible interpretation of the concave or convex surface is that it is somewhere on the fiber where light enters or exits the fiber.

Further, the reference - concerned with optics - suggests either concave or convex - interchangeably. In this disclosure, concave will not work; only convex is operative. Optics is obviously the only consideration; dissection is not considered.

One thing is clear. The reference teaches that oligonucleotides are attached at the cleaved distal end of the reference *en mass*. It would seem that the attachment of oligonucleotides to one portion of the distal end without attachment to other portions of the distal end is not at all contemplated. Further, dissection (especially microdissection) is never referred to anywhere in the reference.

These statements are not directed at the "intended use" of the product. Instead, they point out that the claim limitations are not met by the reference insofar as it refers to "convex surface for placement to a sample" and "a selectively activated coating placed over the convex surface having non adhesive properties which can be activated to provide selected regions thereof with adhesive properties when placed to a sample while non activated regions thereof remain with the non adhesive properties."

Finally, and principally because of the "cleaved" description of the distal end, it is not seen how over Adams et al. the claimed invention of claims 35 and 41 would be "obvious" within the meaning of 35 USC 103, especially where these surfaces

Seth R. Goldstein  
Application No.: 09/387,810  
Page 9

are mentioned with respect to optics and the optically reversible concepts of "concave or convex" are used.

It is submitted that when both Liotta "657 and Adams are fully understood, it is apparent that the invention is neither anticipated nor obvious over the references taken alone or in combination.




Seth R. Goldstein  
Application No.: 09/387,810  
Page 10

PATENT

CONCLUSION

In view of the foregoing, Applicants believe all claims now pending in this Application are in condition for allowance and an action to that end is urged. If the Examiner believes a telephone conference would aid in the prosecution of this case in any way, please call the undersigned at 415-576-0200.

Respectfully submitted,



William Michael Hynes  
Reg. No. 24,168

TOWNSEND and TOWNSEND and CREW LLP  
Two Embarcadero Center, 8<sup>th</sup> Floor  
San Francisco, California 94111-3834  
Tel: 415-576-0200  
Fax: 415-576-0300  
WMH:wmh  
SF 1424911 v1